SDS Number:

31 U Wt

Revision Number:

Revision Date:

8/4/15

Section 1

Chemical, Product & Company Identification

Material Identification:

Polyester; PBT, UV Stabilized, White

Tradenames/Synonyms:

Aricon™ 31xxUx Series

(xx = 2 digit code)

Company Identification:

Emergency Phone No.:

Section 2

Hazards Identification

Emergency Overview:

Product in molten form can cause serious burns

Product dust may cause eye, skin and respiratory tract imitation

Spilled pellets may present a slipping hazard. Product ingestion may cause gastric disturbance.

Potential Health Effects

Inhalation: Product dust can be imitating to the respiratory tract. Over-heating during processing may

generate hazardous or irritating vapors.

Skin: Product particles may cause imitation. Molten product can cause serious burns.

Eyes: Product particles may cause irritation. Molten product can cause serious burns.

Ingestion: Minimal issues expected from product itself. Irregular product shape from reground material

could cause gastric distress.

Section 3

Composition / Information on Ingredients

CAS Number

Ingredients:

30965-26-5

Polvester

> 95%

Lubes, Stabilizers & Colorants

< 15%

Remarks:

This product may contain proprietary ingredients.

These materials are not known to contain Toxic Chemicals under Section 313 of Title III of the

Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

These are polymeric-based materials. Any hazardous ingredients are likely to be encased by t base polymer, reducing the likelyhood of any exposure under normal processing and handling conditions. Additives in this product do not present a respiration hazard unless the product is ground to a powder of respirable size and the dust is inhaled. Good industrial hygiene practical as with all dust hazards, should include precautions to prevent inhalation of respirable particles

These materials are not known to be classified as hazardous by OSHA Regulations.

Section 4

First Aid Measures

Inhalation: Move effected individual to fresh air and maintain calm environment. Assist with breathing and

get medical attention is symptoms occur.

Skin: Burns caused by exposure to molten polymer will be serious and will require immediate medica attention. Cool skin rapidly with cold water. Do not peel solidified product from the skin.

Eyes: Immediately flush with plenty of clean water. Seek medical attention if irritation persists.

Note to Physician: This product is essentially inert and non-toxic in normal form. If product has been over-heated burned, by-product gasses may be released including hydrogen sulfide. Patients exposed to such off-gasses by be effected, particularly if they have chronic diseases of the respiratory system. While it is unlikely that enough hydrogen sulfide can be formed to cause poisoning, supossibility should be considered.

possium, 5.154.5 25 25.154.

Section 5

Auto-ignition Temp.: >400°C per ASTM D-1929

Extinguishing Media: Water, foam, dry extinguishing powder.

Fire Fighting Measures

Hazardous Products of Carbon monoxide, hydrogen cyanide, can be emitted at > 300°C. Under special fire conditions

Combustion: traces of other toxic substances are possible. Formation of further decomposition and oxidation products depends upon the fire conditions.

Protective Equipment: Self-contained breathing apparatus and full protective clothing

Section 6 Accidental Release Measures

Precautions: Remove all sources of ignition. Avoid dust formation. Clean-up quickly to prevent slipping

hazard.

Clean-up: Use suitable mechanical or vacuum equipment. Dispose of according to local regulations.

Section 7 Handling & Storage

Handling: Do not handle hot or molten material with appropriate protective equipment. Maintain good housekeeping in work areas. Take precautions against static discharge. Do not exceed

recommended process temperatures to minimize release of decomposition by-products.

Storage: Keep containers closed and avoid accumulation for dust. Store in a cool, dry place.

Section 8 Exposure Controls / Personal Protection

Engineering Controls: Use local ventilation to control dust and fumes generated during processing

Eye / Face Protection: Wear safety glasses at all times. If working near molten material, wear splash goggles or face shield. Full mask respirators can provide protection against irritants.

Respirators: For airborne dust, use NIOSH / MSHA approved air purifying respirator with an organic vapor cartridge and a dust / mist filter. Use a positive pressure air supplied respirator when excessive fumes from thermal decomposition or unknown circumstances are present.

Protective Clothing: When exposed to hot / molten material, wear heat resistant clothing and footwear.

Section 9 Physical & Chemical Properties

Form as Supplied: Pellets

Odor: Odorless

Color: White

Melting Temperature: 260°C

Density 1.15-1.35 g/cc

Solubility in Water Insoluble

Section 10 Stability & Reactivity

Reactivity: Stable under normal conditions.

Conditions to Avoid: Direct exposure to flame; Prolonged heat at or above the recommended processing temperatu

range.

Incompatible Materials: n/a

Section 11

Toxicological Information

Chronic Toxicity: Product specific data is unknown. The product is believed to be harmless to human health in normal handling.

Other Information: No adverse health effects are expected if handled as recommended with suitable precautions

designated uses.

Section 12

Ecological Information

Ecotoxicity: This material is believed to be harmless to the environment unless spilled and ingested by wildlife. The specific effects from ingestion by birds and other wildlife is unknown.

Biodegradability: This materials is considered to be non-biodegradable.

Section 13

Disposal Considerations

Disposal Considerations: Recycling is possible and encouraged. Otherwise dispose in accordance with state and local regulations. This information applies to the material as manufactured; processing, use or

contamination may make this information inappropriate, inaccurate or incomplete.

Contaminated Packaging: Packaging should be completely emptied to prevent spillage of pellets into the environment.

Section 14

Transportation Information

US DOT: Not regulated

ICAO / IATA: Not regulated

Section 15

Regulatory Information

U.S. Federal: This product complies with the U.S. Toxic Substances Control Act (TSCA)

Canadian: This product is not a WHMIS controlled product and does not knowingly contain substances

required to be disclosed according to the WHMIS Ingredient Disclosure List.

Section 16

Other Information

Disclaimer - Medical Use:

Do not use in medical applications involving temporary or permanent implantation in the humar body.

Disclaimer - General

The information contained in this document is based upon technical information that is believe be reliable. There is no guarantee made, either expressed or implied, that any hazards listed herein are the only hazards which may exist. Because conditions under which this material mabe processed, tested or used cannot be anticipated, no warranty is given, either expressed or implied, concerning the safe use of these materials, use in combination with other substances, the accuracy or reproducibility of this information, or for the fitness of this material for any particular use. Hazardous effects can be aggravated by other materials and/or these materials may aggravate or add to the hazardous effects of other materials. This material is sold with the express understanding that purchasers, processors or other users of these materials have sole responsibility, through performance of their own testing, to determine the safe manner in which these materials may be used and the suitability of this material for any particular purpose.

This information is subject to revision as additional knowledge and experience is gained. Refe the appropriate technical bulletins for specific product and processing guidance.